

A dark, textured book cover, possibly cloth or leather, showing signs of wear and tear, especially at the top and bottom edges. A white rectangular label is affixed to the front cover. The label features a decorative border of small black diamonds. Inside the border, the text is written in a cursive script, with the word 'al.' clearly visible in a larger, bolder font. The overall appearance is that of an antique or vintage book.

BIRD DEPT.
LIBRARY

Tanna eggs } New
Aniwa " } Hebrides

J. Macmillan
Whitby
South Sea
Expedition

NEST & EGGS.

J. Macmillan
BIRD DEPT.
LIBRARY

DATE.	SPN. SPE.	Species, situation, nest description.	No. of EGGS.	MEAS.	INC. ASL	COLOUR.	shape.	clutch.
5/10/35.	SPE. A.	<u>PTILOPUS GREYI</u> (egg found in oviduct of <i>Raputia</i> R.23). Imatangi, White sands, E. Tanna. Bird sitting on usual scanty nest placed on horizontal banyan tree branch. 20ft.	1.	34x24	$\frac{0}{0}$ $\frac{300}{ASL}$	white.		2.
16/10/35.	X I	<u>PTILOPUS GREYI</u> : Anakahi, E. Tanna. Usual nest, scanty platform twigs, on horz. small branch, small upright tree 8ft from ground.	1.	34x24	$\frac{0}{0}$ $\frac{500}{ASL}$	white		2.
16/10/35.	SPE. I SPN. I	<u>MYAGRA CALEDONICA</u> . Jariki, N.E. E. Tanna. Eggs, fibrous & rootlets, with cellulose & spiders egg sacs outside, between horizontal twig for hole to larger twig which runs at angle & shelters it somewhat. Rose apple tree 15ft from ground.	2.	20x13	$\frac{4}{3}$ $\frac{130}{ASL}$	white		2,3 sid 4.
16/10/35	SPE. II	<u>TRICHOGLOSSUS ORNATUS</u> . Anakahi, E. Tanna. Hollowed in a hollow in small Fiji plum tree, in dense bush. Hollow in main trunk of tree, about 3ft deep in downwards direction, entrance about 15ft from ground, Bird on nest, mate in nearby tree.	1.	26x22	$\frac{0}{0}$ $\frac{600}{ASL}$	white		2.
ON.		<u>COLLOCALIA ESC. URG.</u> (3 eggs taken from nest). Tanna. Colony & nests in 4' above ground, all with	1	...	$\frac{3}{4}$ $\frac{600}{ASL}$	white		1.

BIRD DEPT.
LIBRARY

Tanna eggs } New
Aniwa " } Hebrides

Lund

NEST & EGGS.

J. Macmillan 32
BIRD DEPT. LIBRARY used

DATE.	SPN. SPE.	Species, situation, nest description.	No. of EGGS.	MEAS. mm.	INC. ASL.	COLOUR.	Shape.	Chart.
5/10/35.	SPE. A.	<u>PTILOPUS GREYI</u> (egg found in oviduct of <u>Reptem R.23</u>) Imatangi, White sands, E. Tanna. Bird sitting on usual scanty nest placed on horizontal banyan tree branch. 20ft.	1.	34x24	0.300 ASL	white.	0	2.
16/10/35.	AI	<u>PTILOPUS GREYI</u> : Imahahi, E. Tanna. Usual nest, scanty platform twig, on horz. small branch, small upright tree 8 ft from ground.	1.	34x24	0.500 ASL	white	0	2. <i>sampled</i>
16/10/35.	SPE. I SPN. I	<u>MYAGRA CALEDONICA</u> . Farhi, W. E. Tanna. Left, fibres + rootlets, with cobwebs + spiders egg sacks outside, between horizontal twig for hole to larger limb which runs at angle + shelters it somewhat. Rose apple tree. 15 ft from ground.	2.	20x13	130 ASL	white	0	2,3,4. <i>digit</i>
16/10/35	SPE. II	<u>TRICHOGLOSSUS ORNATUS</u> . Imahahi, E. Tanna. Hollow in a hollow in small Fiji plum tree, in dense bush. Hollow in main trunk of tree, about 3 ft deep in downwards direction, entrance about 15 ft from ground, Bird on nest, mate in nearby tree.	1.	26x22	0.600 ASL	white	0	2. <i>round</i>
16/10/35	SPN. II	<u>COLLOCALIA ESC. URG.</u> (3 eggs taken) Imahahi, E. Tanna. Colony 8 nests in banyan tree about 20 ft above ground, all with eggs (broken in transit). fibres + rootlets.	1	...	3/4 600 ASL	white	0	1.
17/10/35	SPE. III	<u>Halcyon chloris</u> (?) <i>to vague eliminate</i> brought in by native boy (no english) Nest in tree fern stump no other eggs. (?)	1.	31.5x26	5/8 100 ASL	white	0	2,3,4. <i>off. round</i>
19/10/35.	SPE. IV	<u>Halcyon chloris tannensis</u> Buff breasted female left nest on finding. Takumpti gully, White sands, East Tanna. Nest in fallen coconut stump. entrance 3ft 6" from ground. length of burrow 8", nest cavity 3 1/2".	3	32.5x25.5	3/8 100 ASL	white	0	2,3,4. <i>round</i>
22/10/31.	SPE. V	<u>Halcyon chloris</u> ? <i>missing - eliminate</i> In tree fern stump 4ft from ground in semi bush. Entrance 2 1/2" nest cavity 3 3/4".	3	30x25 30x25 30.5x24	3/4 250 ASL	white	0	2,3,4. <i>round</i>
22/10/35	SPE. V SPN. III	<u>Zosterops Flavifrons</u> fine sunny day 8 1/2 with. Brought in by native who says its is a Zosterops (? colour). Found in low tree 8ft. from ground, semi edge, cane grass pandanus type country, chick by later downy.	2.	19x14.	0.250 ASL.	white.	0	3 or 4. <i>(making)</i>
23/10/35	SPE. VI	<u>Halcyon chloris</u> white breast left nest. nest in tree fern stump 5ft above ground at 11 AM. burrow 4" long. found 200 ASL.	3	30x25 31x25	3/4 200 ASL.	white	0	2,3,4. <i>round</i>
	SPE. VI	<u>Halcyon chloris</u> (? breast, not at nest. nest in pipe in Fiji plum tree 8" in. entrance 4ft above ground.	2	30x25 31.5x25.5	3/4 250 ASL	white	0	2,3,4. <i>round</i>

missing eliminate

too vague

NEST & EGGS.

DATE	SPE SPN	Species situation nest description	no. eggs	MEAS. INK	ASL	COLOR	shape	clutch	
1/11/35	SPE VI	<i>Habeon chloris</i> (white breasted) white sands Tanna. Chestnut tree fern 2ft above ground, semi bush.	3	31x23 1/4	200 ASL	white	O	2, 3, 4	
1/11/35	SPE VII SPN IV	<i>Phidippa flab. bruchyi</i> . Nest found 4 ft above ground in low tree, garden land, white sands Tanna	1	18x13	fresh 250 ASL	white chestnut 7.0-5	O	3	
4/11/35	SPN V	<i>Phidippa flab. bruchyi</i> . nestlings. found 4PM bright sunny day 15ft in large tree goes with [SP115] semi bush. White Sands East Tanna	2	nestlings	250 ASL	—	—	—	
8/11/35	SPN VI	<i>Collocalia Esculenta</i> Mrooyg. Nest with nestling [SP117] 20ft up in tree tree 200 ft. belongs about 40 pairs large for this area, with occasionally only about 6 or 7 pairs.							
8/11/35	SPE 8	<i>Zosterops lateralis</i> 8/11/35. 2 stray eggs brought in by boy	2	21x14 3/4		whitish blue. pale blue.	O	2	
	SPE 9	<i>Zosterops lateralis</i> 8/11/35. Nest + eggs said to be Z. lat. by boy found in low tree 7ft.	2			whitish blue tinge.	O		
8/11/35	SPE 10 SPN VII	<i>Zost. flavifrons</i> . garden lands. brought in by natives.	2	20x13 fresh 200 19x13 250 ASL	white			3, 4	
	SPE 11 SPN IX	said to be <i>Zost. Flav.</i> garden land brought in by boy.	3		fresh ditto	ditto		3, 4	
White Sands East Tanna.									
9/11/35	SPE 12 SPN X	<i>Zost Flavifrons</i> said to be by boy who brought them in garden land low tree 10ft (white before staining takes blue tinge after)	3		fresh ditto	ditto		3, 4	
	SPE 13 SPN XI	<i>Zost Lat.</i> said to be by boy who brought them in garden land.	2		3/4 ditto	whitish	O	2	
11/11/35	SPE 14 SPN XII	<i>Lelage leucopygia</i> . Found on horizontal branch of an island chestnut tree (dark leaved) about 3ft from ground tree about 250 ASL Garden land surrounding.	1	2.3x16 fresh	250 ASL	green with chestnut spots to sides all along and almost uniformly green	O	3	
	SPE 15 SPN XIII	<i>Zost. Flav & lat.</i> garden land 15ft.	3		fresh 200 ASL	whitish blue tinge	O	3, 4	
	SPE 16	<i>Zost. lat.</i> garden land.	1		fresh 200 ASL	white			

2 specimens of *Zosterops* present all of uncertain D. A. identification

As specimens 16 of any more certain identity than that there?

White Sands Jamat Nest & Eggs.

DATE	SPE/SPN	Species	locality	situation	NO.	MEAS.	INC.	ASL.	COLOUR	shape	clutch	
13/11/35	SPE 17	<i>Halcyon chloris</i>	(?)	tree fern stump.	1	fresh	200	ASL	white	O	2,3,4	
14/11/35	SPE 18	<i>Certhia leucophaea</i>	Trustus	(two nests)	2X	fresh	200	ASL	pale blue	O	2,3,4	
				In hollow in limb of fig plump, & other large tree. 2 in each. top say 4 common.	2X							
15/11/35	SPE 19	<i>Chalcophaps</i>	(2 nests)		2X	fresh	200	ASL	cream or dirty white	O	2	
				Nest as usual from 4 to 15 ft up in trees or shrubs (odd higher but not much)	2X							
15/11/35	SPE 20	<i>Ptilopus</i>	<i>Greyi</i>		1	fresh	350	ASL	white	O	1 or 2	
				Usual nest 10 ft from ground horizontal branch.	1							
15/11/35	SPE 21	<i>Rhipidura</i>	flat. brush.		3	fresh	350	ASL	pinkish white with some chestnut spots on larger end.	O	3	
	SPN XIV			Living off tree 11 ft from ground in semi bush.	3							
15/11/35	SPN XV	?	In cavity in banyan tree									
				20 ft up. stuck to side of cavity like Euculent swift. Boys say <i>Thrianda</i> . but do not believe it is so as there is no mud, (certainly a rarity in this sandy area) but elsewhere it uses a mud base & builds grass colon that thus fibres grass etc. where this nest hung by its side. note also black feathers like some swift. Nest not in colony but entirely on its own.								
19/11/35	SPN XVI	<i>Rhipidura</i>	flat. brush.		2 nestings							
				Nest 24 ft up in tree on side of gully. Esaka area. semi bush. fine sunny day. goes with SP 126	2							
19/11/35	SPN XVII	<i>Petroica</i>	<i>multi</i>		1	fresh	800	ASL	white	long round	2 or 3	
	SPE 22			Nest in small shrub upright for 14 ft from ground in dense underbrush (fuming etc.) under 30 ft trees on hillside of deep steep mountain gully. Esaka valley. 800-900 ASL	1							
20/11/35	SPE 23	<i>Macropygia</i>	<i>ruffa ruffa</i>	(brown phase)	1	fresh	9-900	ASL	white cream.	much elongated	1	
	SPN XVIII			Nest in crown of tree 18 ft from ground in low dense hillside scrub on side of Esaka valley. 800-900 ASL	1							
20/11/35	SPE 24	<i>Macropygia</i>	<i>ruffa ruffa</i>	(grey phase)	1	fresh	2200	ASL	cream white	long round	1	
				In low shrub Royal Sabote tree horizontal branch 12 ft. on plateau 2200 ASL central mountains Tanna. Nest similar but perhaps more scanty & smaller than SPN XVIII	1							

Esaka camp
Eastern foothills + Central Mountains Area

Eastern Foothills, Central plateau, Central mountain area.

Esaka camp

DATE	SPE/SPN	Species	locality	situation	NO.	MEAS.	INC.	ASL.	COLOUR	shape	clutch
20/11/35	SPE 25	<i>Pterodroma</i>	<i>leucoptera</i>	<i>bruijpes</i>	1	fresh	1900	ASL	white	O	1
				Found in nest chamber at end of 6 ft burrow on almost precipitous inner slope of old volcanic crater, in patch of ferns. colonial. nests scattered over area 10 x 5 miles. + 5 to 7 miles inland from sea. Nest; fine dry fern fronds.	1						
26/11/35	SPE 26	<i>Petroica</i>	<i>multi</i>		3	fresh	900	ASL	greenish greyish	long round	3
	SPN XIX			Found by boy in usual surrounding dense underbrush in mountain gully behind Esaka. 5 ft from ground upright fork of low shrub. Had 3 eggs broken in transit!	3						
28/11/35	SPN XX	<i>Petroica</i>	<i>multi</i>	(goes with SP 138)	1	fresh	2500	ASL	rawling	+	23
				Nest found on fallen branch horizontal fork placed 4 ft above a storm channel in deep steep gully densely clothed with underbrush ferns, mid low shrubs. low trees average height 25 ft. above plateau, South Central mountains. Tanna New Hebr.	1						
20/12/35	SPE 27	<i>Pterodroma</i>	?		1	fresh	40	ASL	pure white	O	1
				1 egg found with SP 143 found in 3 ft burrow under large stone, nest few leaves, burrow with 2 off of cliff edge. cliff 40 ft sheer to sea. Tanakahi, S. Tanna	1						
10/12/35	SPE 28	<i>Pterodroma</i>	?		1	fresh	40	ASL	pure white	ditto	1
				1 egg goes with SK 107. found near above. similar 4 ft burrow. Tanakahi, S. Tanna.	1						
10/12/35	SPE 29	<i>Pterodroma</i>	?		1	fresh	40	ASL	ditto	ditto	1
				1 egg similar above @ 2 eggs.	1						
27/12/35	SPE 30	<i>Columba</i>	<i>talumans</i>	<i>leucophaea</i>	1	fresh	20	ASL	white	O	1 or 2
	SPN XXI			Found on horizontal limb of low tree 12 ft from ground, in semi bush garden land 20 ASL near mission. W side Aniva Is.	1						
2/1/36	SPE 31	<i>Chalcophaps</i>	<i>indica</i>	<i>sand.</i>	2	fresh	10	ASL	cream	O	2
				In cycas palm 6 ft on flat front nearly no rope twists 10 ASL	2						
3/1/36	SPE 32	<i>Myzomela</i>	<i>carden.</i>		1	fresh	30	ASL	pinkish white	long round	2,3
	SPN XXII			Nest in mango tree 20 ft. amongst water shoots near trunk.	1						

Puffins Pacific

1936

24/36

SPE33

Chrysosplenium Doubt this is *Ch. super. pel.*

nest found in long grass on small mound
which with feathers, laid on island, within a few
feet of the water, nest was well lined with feathers.
(Part 5 in spirit) 16 down, 18 feathers, 1 egg.
S.F. 5/24/36

18

7/8

120

ASL


pale brown
white

○

12-18
81 and


X

10



Two blank ledger pages with vertical and horizontal grid lines.

The image shows two facing pages of a notebook, both of which are blank. Each page is ruled with a grid of lines. On page 39 (left), there are approximately 12 vertical columns and 20 horizontal rows. On page 40 (right), there are approximately 12 vertical columns and 20 horizontal rows. The grid lines are thin and light in color. The pages are otherwise empty of any text or markings.



Perruauke. Due Mar

" Mar. 7+8

" Mar 5. Munn

ORNITHOLOGY ARCHIVES



100220759

200
96.

